

**EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("5327562").PN.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 13:56
L2	2	("5371891").PN.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 13:58
L4	2	("5093914").PN.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 15:20
L5	1	4 & pointer\$3	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 15:21
L6	2	("5093914").PN.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 15:21
L7	2	("5745764").PN.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 15:22
L8	1	7 & pointer\$3	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 15:22

L9	1	7 & (point\$3 or pointer\$3) with ( list\$3 or array\$3 )	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 15:28
L10	1	7 & (point\$3 or pointer\$3) with ( list\$3 or array\$3 O ( data near3 structur\$3 ) )	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 15:29
L11	1	7 & (point\$3 or pointer\$3) with ( list\$3 or array\$3 or( data near3 structur\$3 ) )	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 15:29
L12	1	("5371891").PN.	USPAT; USOCR	OR	OFF	2009/03/14 16:38
L13	1	12 & pointer\$3	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 16:38
L14	95	(table near3 pointer\$3)near6 entr\$3 with ( virtual near3 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 17:07
L15	12	(table near3 pointer\$3)near6 entr\$3 with (next \$3 or first or second\$3) with ( virtual near3 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 17:08
L16	15	(table near3 pointer\$3) with entr\$3 with (next \$3 or first or second\$3) with ( virtual near3 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 17:14

L17	2	(table adj2 pointer \$3) with entr\$3 with (next\$3 or first or second\$3) with ( virtual adj2 table\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 17:15
L18	17	(table adj2 pointer \$3) near3(next\$3 or first or second \$3) with ( virtual adj2 table\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 17:16
L19	109	(table adj2 pointers) with ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 17:20
L20	34	(table adj2 pointer \$3) with entr\$3 with ( virtual adj2 table\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 17:22
L21	7	(table adj2 pointer \$3) with list with ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 17:51
L22	8	(table adj2 pointer \$3) with array with ( virtual adj2 table\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 17:51
L23	7	(table adj2 pointer \$3) with list with ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 17:59
L24	0	1 & ( pointer\$3) SAME list	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 19:30

L25	0	1 & ( point\$3) SAME list	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 19:31
L26	0	1 & list	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 19:31
L27	1	("6209040").PN.	USPAT; USOCR	OR	OFF	2009/03/14 19:32
L28	1	27 & ( point\$3) SAME list	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 19:32
L29	1	27 & ( point\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 19:37
L30	2	("5093914").PN.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 19:38
L31	1	27 & ( point\$3) & list\$3	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 20:06
L32	1737	(719/328).CCLS.	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:24

L33	664	(717/116).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:24
L34	468	(717/141).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:24
L35	252	32 & (point\$3 or pointer\$3) with ( list\$3 or array \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:25
L36	126	33 & (point\$3 or pointer\$3) with ( list\$3 or array \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:25
L37	99	34 & (point\$3 or pointer\$3) with ( list\$3 or array \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:25
L38	135	34 & (point\$3 or pointer\$3) SAME ( list\$3 or array \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:25
L39	184	33 & (point\$3 or pointer\$3) SAME ( list\$3 or array \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:25
L40	398	32 & (point\$3 or pointer\$3) SAME ( list\$3 or array \$3 )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:25

L41	0	32 & (table near3 pointer\$3) with entr\$3 with (next \$3 or first or second\$3) SAME ( virtual near3 table\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:25
L42	2	33 & (table near3 pointer\$3) with entr\$3 with (next \$3 or first or second\$3) SAME ( virtual near3 table\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:26
L43	1	34 & (table near3 pointer\$3) with entr\$3 with (next \$3 or first or second\$3) SAME ( virtual near3 table\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:26
L44	0	32 & (table adj2 pointer\$3) with array with ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:26
L45	0	33 & (table adj2 pointer\$3) with array with ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:26
L46	0	34 & (table adj2 pointer\$3) with array with ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:26
L47	2	32 & (table adj2 pointers) with ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:26

L48	13	33 & (table adj2 pointers) with ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:26
L49	3	34 & (table adj2 pointers) with ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:27
L50	0	32 & (table adj2 pointer\$3) with entr\$3 with ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:27
L51	1	34 & (table adj2 pointer\$3) with entr\$3 with ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:27
L52	1	34 & (table adj2 pointer\$3) with entr\$3 SAME ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:27
L53	4	33 & (table adj2 pointer\$3) with entr\$3 SAME ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:27
L54	0	32 & (table adj2 pointer\$3) with entr\$3 SAME ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:27
L55	1	32 & (table adj2 pointer\$3) SAME entr\$3 SAME ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:28

L56	7	33 & (table adj2 pointer\$3) SAME entr\$3 SAME ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:28
L57	1	34 & (table adj2 pointer\$3) SAME entr\$3 SAME ( virtual adj2 table \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:28
L58	0	32 & (table adj2 pointer\$3) with list with ( virtual adj2 table\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:28
L59	0	33 & (table adj2 pointer\$3) with list with ( virtual adj2 table\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:28
L60	0	34 & (table adj2 pointer\$3) with list with ( virtual adj2 table\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:28
L61	0	34 & (table adj2 pointer\$3) with list SAME ( virtual adj2 table\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:29
L62	0	33 & (table adj2 pointer\$3) with list SAME ( virtual adj2 table\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:29
L63	0	32 & (table adj2 pointer\$3) with list SAME ( virtual adj2 table\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:29

L64	0	34 & (table adj2 pointer\$3) SAME list SAME ( virtual adj2 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:29
L65	1	33 & (table adj2 pointer\$3) SAME list SAME ( virtual adj2 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:29
L66	1	32 & (table adj2 pointer\$3) SAME list SAME ( virtual adj2 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:29
L67	1	32 & (table near3 pointer\$3) SAME entr\$3 SAME (next \$3 or first or second\$3) SAME ( virtual near3 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:30
L68	9	33 & (table near3 pointer\$3) SAME entr\$3 SAME (next \$3 or first or second\$3) SAME ( virtual near3 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:30
L69	1	32 & (table near3 pointer\$3) SAME entr\$3 SAME (next \$3 or first or second\$3) SAME ( virtual near3 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:30
L70	2	32 & (table near3 pointer\$3) SAME entr\$3 SAME (next \$3 or first or second\$3) & ( virtual near3 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:30

L71	10	33 & (table near3 pointer\$3) SAME entr\$3 SAME (next \$3 or first or second\$3) & ( virtual near3 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:30
L72	2	32 & (table near3 pointer\$3) SAME entr\$3 SAME (next \$3 or first or second\$3) & ( virtual near3 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:30
L73	4	32 & (table near3 pointer\$3) SAME (next\$3 or first or second\$3) & ( virtual near3 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:30
L74	18	33 & (table near3 pointer\$3) SAME (next\$3 or first or second\$3) & ( virtual near3 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:30
L75	4	32 & (table near3 pointer\$3) SAME (next\$3 or first or second\$3) & ( virtual near3 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:30
L76	2	34 & (table near3 pointer\$3) SAME (next\$3 or first or second\$3) & ( virtual near3 table\$3)	US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/14 22:30

3/14/2009 10:31:48 PM

C:\Documents and Settings\ltruong3\My Documents\EAST\Workspaces\11849121.wsp